

ii n EVOQUP BISON 120 **BISON 120** JAW CRUSHER

COMPACT | EASY TO TRANSPORT | INTUITIVE OPERATION

The Bison 120 has been specifically designed for operators for whom versatility, maneuverability and transportability are of key importance. It is small enough to fit inside a container for transport but strong enough to withstand the toughest of applications. The Jaw is driven hydraulically allowing the customer the ability to reverse the Crusher to clear a blockage as well as being able to run in reverse permanently for sticky applications such as asphalt. The ability to adjust the jaw setting and operate the plant from the remote control allows for a fast and simple set up for the customer. With its intuitive operation, quick set-up times, compact size and ease of transport the Bison 120 the ideal solution for creating revenue from waste.

OVERVIEW

1

HOPPER

4

PRODUCT CONVEYOR

2

FEEDER

- Integrated stepped grizzly
- Feeder speed regulates based on material

5

ENGINE OPTIONS

- - Deutz 2.2 L3 55 kw



3

6

JAW CRUSHER

CONTROL SYSTEM



EASE OF USE



OEVO

OPTIMAL MATERIAL FLOW





COMPACT WITH IMPACT







EASY Access to All service Points














Weight: 12,000kg (26,455lbs)



DIMENSIONS

200 Coalisland Road, Dungannon, Co. Tyrone, BT714DR **Tel:** +442887718500 Email: evoquip@terex.com



The material in this document is for information only and is subject to change without notice.

- Terex assumes no liability resulting from errors or omissions in this document, or from the use of the information contained herein.
- Due to continual product development we reserve the right to change specifications without notice.
- Photographs are for illustrative purposes only, some or all of the machines in the illustrations may be fitted with optional extras. Copyright 2021 Terex GB Limited. Published and Printed in February 2021.